EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	67	382/118.ccls. and (face or facial) with (-1 or negative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 09:48
L3	5	sang-min near2 yoon.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 09:43
L4	33	seok-cheol near2 kee.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 09:43
L5	31	seok-cheol near2 kee.in. and face	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 09:44
L6	14	seok-cheol near2 kee.in. and face and eigen$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 09:44
L7	633	((face or facial) with (-1 or negative)).clm.	US-PGPUB	OR	ON	2007/08/31 09:48
L8	1	((face or facial) with (-1 or negative) and eigen$10).clm.	US-PGPUB	OR	ON	2007/08/31 09:49
S35	235	filter$4 with no with (edge or contour) and (wavelet or decompos$5 or pyramid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:16

EAST Search History

S36	77	filter$4 with no with (edge or contour) and (wavelet or decompos$5 or pyramid)and quantiz$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:16
S37	68	filter$4 with no with (edge or contour) and (wavelet or decompos$5 or pyramid)and quantiz$5 and (encod$4 or compress$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:17
S38	31	filter$4 near5 no with (edge or contour) and (wavelet or decompos$5 or pyramid)and quantiz$5 and (encod$4 or compress$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:26
S39	46	kernel with (edge or contour) and (wavelet or decompos$5 or pyramid)and quantiz$5 and (encod$4 or compress$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:26
S40	62	kernel with (edge or contour or border or boundar$4) and (wavelet or decompos$5 or pyramid)and quantiz$5 and (encod$4 or compress$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:38
S41	3	kernel with (edge or contour or border or boundar$4)with (weight$4 or coefficient) and (wavelet or decompos$5 or pyramid)and quantiz$5 and (encod$4 or compress$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:39
S42	119	(edge or contour or border or boundar$4)with (weight$4 or coefficient)with zero and (wavelet or decompos$5 or pyramid)and quantiz$5 and (encod$4 or compress$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:40

EAST Search History

S43	13	(edge or contour or border or boundar$4)with (weight$4)with zero and (wavelet or decompos$5 or pyramid)and quantiz$5 and (encod$4 or compress$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:41
S44	122	(edge or contour or border or boundar$4)same (weight$4) with filter$4 and (wavelet or decompos$5 or pyramid)and quantiz$5 and (encod$4 or compress$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:41
S45	9	(edge or contour or border or boundar$4)same (weight$4) with filter$4 with (zero or "0") and (wavelet or decompos$5 or pyramid)and quantiz$5 and (encod$4 or compress$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:42
S46	82	(edge or contour or border or boundar$4)and (weight$4) with filter$4 with (zero or "0") and (wavelet or decompos$5 or pyramid)and quantiz$5 and (encod$4 or compress$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:43
S47	9	(edge or contour or border or boundar$4)same (weight$4) with filter$4 with (zero or "0") and (wavelet or decompos$5 or pyramid)and quantiz$5 and (encod$4 or compress$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:43
S48	46	(edge or contour or border or boundar$4)same (weight$4) with filter$4 with (zero or "0") and quantiz$5 and (encod$4 or compress$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:01
S49	91	(edge or contour or border or boundar$4)with convolution and quantiz$5 and (encod$4 or compress$4)and (wavelet or pyramid or decompos$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:03

EAST Search History

S50	3	(edge or contour or border or boundar$4)with convolution with (around or along or perimeter) and quantiz$5 and (encod$4 or compress$4)and (wavelet or pyramid or decompos$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:07
S51	7	(edge or contour or border or boundar$4)with convolution with (range or area or region) and quantiz$5 and (encod$4 or compress$4)and (wavelet or pyramid or decompos$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:07
S52	12	(edge or contour or border or boundar$4)with convolution with (range or area or region or domain) and quantiz$5 and (encod$4 or compress$4)and (wavelet or pyramid or decompos$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:13
S53	12	(edge or contour or border or boundar$4)with convolution with (range or area or region or domain or exterior) and quantiz$5 and (encod$4 or compress$4)and (wavelet or pyramid or decompos$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:13
S54	12	(edge or contour or border or boundar$4)with convolution with (range or area or region or domain or exterior or outside) and quantiz$5 and (encod$4 or compress$4)and (wavelet or pyramid or decompos$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:13
S55	12	(edge or contour or border or boundar$4)with convolution with (range or area or region or domain or exterior or outside or object) and quantiz$5 and (encod$4 or compress$4)and (wavelet or pyramid or decompos$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:14
S56	15	(edge or contour or border or boundar$4)with (convolution or kernel) with (range or area or region or domain or exterior or outside or object) and quantiz$5 and (encod$4 or compress$4)and (wavelet or pyramid or decompos$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:14

EAST Search History

S57	15	(edge or contour or border or boundar$4)with (convolution or kernel) with (range or area or region or domain or exterior or outside or object with pixel) and quantiz$5 and (encod$4 or compress$4)and (wavelet or pyramid or decompos$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:15
S58	34	(edge or contour or border or boundar$4)with (convolution or kernel) with (range or area or region or domain or exterior or outside or object or pixel) and quantiz$5 and (encod$4 or compress$4)and (wavelet or pyramid or decompos$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:16
S59	101	(edge or contour or border or boundar$4)with (convolution or kernel or filter$4) with (exterior or outside or inside or interior) and quantiz$5 and (encod$4 or compress$4)and (wavelet or pyramid or decompos$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:41
S60	27	(object)with (convolution or kernel or filter$4) with (exterior or outside or inside or interior) and quantiz$5 and (encod$4 or compress$4)and (wavelet or pyramid or decompos$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:42
S61	19586	(wavelet or pyramid or decompos$5) with filter$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:12
S62	308	(wavelet or pyramid or decompos$5) with filter$4 with (edge or contour)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:12
S63	434	(wavelet or pyramid or decompos$5) with filter$4 with (edge or contour or border or boundar$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:12

S64	435	(wavelet or pyramid or decompos$5) with filter$4 with (edge or contour or border$4 or boundar$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:13
S65	298	(wavelet or pyramid or decompos$5) with filter$4 with (edge or contour or border$4 or boundar$4) and (compress$4 or encod$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:14
S66	0	(wavelet or pyramid or decompos$5) with filter$4 with (edge or contour or border$4 or boundar$4) with (straddl$4) and (compress$4 or encod$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:14
S67	7	(wavelet or pyramid or decompos$5) with filter$4 with (edge or contour or border$4 or boundar$4) with (follow$4) and (compress$4 or encod$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:15
S68	298	(wavelet or pyramid or decompos$5) with filter$4 with (edge or contour or border$4 or boundar$4) and (compress$4 or encod$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:15
S69	1	("6539060").PN.	USPAT	OR	OFF	2007/08/29 12:23
S70	1	("5877813").PN.	USPAT	OR	OFF	2007/08/29 12:25
S71	1120	orthogonal with wavelet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:25
S72	848	orthogonal with wavelet and (encod$4 or compress$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:28

S73	196	orthogonal with wavelet and (encod$4 or compress$4) and filter$4 with (edge or contour or border$4 or boundar$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:31
S74	134	orthogonal with wavelet and (encod$4 or compress$4) and filter$4 with (edge or contour or border$4 or boundar$4)and wavelet with coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:52
S75	1	("20030012406").PN.	US-PGPUB; USPAT	OR	OFF	2007/08/29 13:52
S76	12	quantization adj factor with "h.263"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:30
S77	254	filter$4 with weight$4 with averag$4 same (Edge or contour or border)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:32
S78	254	filter$4 with weight$4 with averag$4 same (Edge or contour or border)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:33
S79	129	filter$4 with weight$4 with averag$4 same (Edge or contour or border) same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:37
S80	70	filter$4 with weight$4 with averag$4 same (Edge or contour or border) same pixel and (encod$4 or compress$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:13

EAST Search History

S81	125	filter$4 with weight$4 same averag$4 same (Edge or contour or border) same pixel and (encod$4 or compress$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:26
S82	1	("6305805").PN.	USPAT	OR	OFF	2007/08/30 11:20
S83	17	weight$4 near5 averag$4 adj10 filter$4 same (Edge or contour or border) same pixel and (encod$4 or compress$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:32
S84	13	weight$4 near5 averag$4 adj10 filter$4 same (Edge or contour or border) same pixel and (encod$4 or compress$4) and transform$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:35
S85	14	weight$4 near5 averag$4 adj20 filter$4 same (Edge or contour or border) same pixel and (encod$4 or compress$4) and transform$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:35
S86	14	weight$4 near5 averag$4 adj100 filter$4 same (Edge or contour or border) same pixel and (encod$4 or compress$4) and transform$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:35
S87	14	weight$4 near5 averag$4 adj200 filter$4 same (Edge or contour or border) same pixel and (encod$4 or compress$4) and transform$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:36
S88	434	weight$4 near5 averag$4 adj200 filter$4 and (encod$4 or compress$4) and transform$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:36

EAST Search History

S89	1711	weight$4 near5 averag$4 same filter$4 and (encod$4 or compress$4) and transform$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:36
S90	93	weight$4 near5 averag$4 same filter$4 same (edge or contour) and (encod$4 or compress$4) and transform$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:32
S91	959	replac$4 with (coefficient or weight) with filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:34
S92	322	replac$4 with (coefficient or weight) with filter and transform$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:35
S93	0	replac$4 with (coefficient or weight) with filter same renormalization and transform$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:35
S94	1	replac$4 with (coefficient or weight) with filter same normalization and transform$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:35
S95	322	replac$4 with (coefficient or weight) with filter and transform$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:36

EAST Search History

S96	17	replac$4 with (coefficient or weight) with filter with (averag$4 or median or mean or statistic$2) and transform$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:44
S97	1335	382/239.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:40
S98	358	375/240.02.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:40
S99	37457	face with (glasses or beard or mask or scarf or sunglasses) with (one or "1")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:30
S100	38236	face with (glasses or beard or mask or scarf or sunglasses or occlu$5) with (one or "1")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:33
S101	687	face with (glasses or beard or mask or scarf or sunglasses or occlu$5) with (one or "1") and recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:33
S102	691	face with (glasses or beard or mask or scarf or sunglasses or occlu$5 or disguise) with (one or "1") and recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:34

EAST Search History

S10 3	5	face with (glasses or beard or mask or scarf or sunglasses or occlu$5 or disguise) with ("-1") and recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:34
S10 4	125	face with (glasses or beard or mask or scarf or sunglasses or occlu$5 or disguise) with ("-1")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 07:53
S10 5	5	face with (glasses or beard or mask or scarf or sunglasses or occlu$5 or disguise) with ("-1") and eigen$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:36
S10 6	27	face with ("-1") and eigen$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:36
S10 7	494	face with (glasses or beard or mask or scarf or sunglasses or occlu$5 or disguise or cover$4) with ("-1")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 07:53
S10 8	5	face with (glasses or beard or mask or scarf or sunglasses or occlu$5 or disguise or cover$4) with ("-1") and eigen$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 07:54
S10 9	6	(face or facial) with (glasses or beard or mask or scarf or sunglasses or occlu$5 or disguise or cover$4) with ("-1") and eigen$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 07:56

EAST Search History

S11 0	1	(face or facial) with (glasses or beard or mask or scarf or sunglasses or occlu$5 or disguise or cover$4) with ("negative") and eigen$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 07:57
S11 1	818	382/118.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 07:59
S11 2	81	382/118.ccls. and occlu$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 08:00
S11 3	1	382/118.ccls. and occlu$4 with (-1 or negative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 08:00
S11 4	67	382/118.ccls. and (face or facial) with (-1 or negative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 09:33

IEEE Xplore®
RELEASE 2.4

Welcome United States Patent and Trademark Office

▭Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "(((((((((face or facial<in>metadata))<and>(face or facial<in>metadata) <near>..."   ☑e-mail
Your search matched **32 of 99** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» **Search Options**

View Session History

New Search

» **Key**

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(((((((((face or facial<in>metadata))<and>(face or facial<in>metadata) <near> ('-1' or | ▪Search▪

☐ Check to search only within this results set

Display Format: ◉ Citation ○ Citation & Abstract

↵[**view selected items**]   <u>Select All</u> <u>Deselect All</u>

☐ **1. Evolutionary pursuit and its application to face recognition**
Liu, C.; Wechsler, H.;
<u>Pattern Analysis and Machine Intelligence, IEEE Transactions on</u>
Volume 22, <u>Issue 6</u>, June 2000 Page(s):570 - 582
Digital Object Identifier 10.1109/34.862196

<u>AbstractPlus</u> | <u>References</u> | Full Text: <u>PDF</u>(1296 KB) IEEE JNL
<u>Rights and Permissions</u>

☐ **2. View independent face recognition based on kernel principal component parts**
Hotta, K.;
<u>Image Processing, 2005. ICIP 2005. IEEE International Conference on</u>
Volume 3, 11-14 Sept. 2005 Page(s):III - 760-3
Digital Object Identifier 10.1109/ICIP.2005.1530503

<u>AbstractPlus</u> | Full Text: <u>PDF</u>(184 KB) IEEE CNF
<u>Rights and Permissions</u>

☐ **3. GA-fisher: a new LDA-based face recognition algorithm with selection of components**
Wei-Shi Zheng; Jian-Huang Lai; Yuen, P.C.;
<u>Systems, Man and Cybernetics, Part B, IEEE Transactions on</u>
Volume 35, <u>Issue 5</u>, Oct. 2005 Page(s):1065 - 1078
Digital Object Identifier 10.1109/TSMCB.2005.850175

<u>AbstractPlus</u> | Full Text: <u>PDF</u>(1400 KB) IEEE JNL
<u>Rights and Permissions</u>

☐ **4. Recognizing imprecisely localized, partially occluded, and expression vai a single sample per class**
Martinez, A.M.;
<u>Pattern Analysis and Machine Intelligence, IEEE Transactions on</u>
Volume 24, <u>Issue 6</u>, June 2002 Page(s):748 - 763
Digital Object Identifier 10.1109/TPAMI.2002.1008382

<u>AbstractPlus</u> | <u>References</u> | Full Text: <u>PDF</u>(866 KB) IEEE JNL
<u>Rights and Permissions</u>

☐ **5.**
Multi-class object recognition using boosted linear discriminant analysis masking covariance matrix method
Tanigawa, M.;

IEEE *Xplore* ®
RELEASE 2.4

⸂□⸃Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

˙Results for "(seok-cheol kee<in>au)"
Your search matched **13** of **1637503** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

☑e-mail

» Search Options

<u>View Session History</u>

<u>New Search</u>

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(seok-cheol kee<in>au)   Search

☐ Check to search only within this results set

Display Format: ◉ Citation ◯ Citation & Abstract

⌐ **view selected Items** ⌐   <u>Select All</u> <u>Deselect All</u>

☐   1. **Multiple Face Model of Hybrid Fourier Feature for Large Face Image Set**
Wonjun Hwang; Gyutae Park; Jongha Lee; Seok-Cheol Kee;
<u>Computer Vision and Pattern Recognition, 2006 IEEE Computer Society Confe</u>
Volume 2, 2006 Page(s):1574 - 1581
Digital Object Identifier 10.1109/CVPR.2006.201

<u>AbstractPlus</u> | Full Text: <u>PDF</u>(640 KB)   **IEEE CNF**
<u>Rights and Permissions</u>

☐   2. **LBP Discriminant Analysis for Face Verification**
Jiali Zhao; Haitao Wang; Haibing Ren; Seok-Cheol Kee;
<u>Computer Vision and Pattern Recognition, 2005·IEEE Computer Society Confe</u>
Volume 3, 20-26 June 2005 Page(s):167 - 167
Digital Object Identifier 10.1109/CVPR.2005.580

<u>AbstractPlus</u> | Full Text: <u>PDF</u>(320 KB)·   **IEEE CNF**
<u>Rights and Permissions</u>

☐   3. **Face description based on decomposition and combining of a facial spac**
Tae-Kyun Kim; Hyunwoo Kim; Wonjun Hwang; Seok-Cheol Kee; Kittler, J.;
<u>Image Processing, 2003. ICIP 2003. Proceedings. 2003 International Conferer</u>
Volume 3, 14-17 Sept. 2003 Page(s):III - 877-80 vol.2
Digital Object Identifier 10.1109/ICIP.2003.1247385

<u>AbstractPlus</u> | Full Text: <u>PDF</u>(354 KB)   **IEEE CNF**
<u>Rights and Permissions</u>

☐   4. **Speaker detection and tracking at mobile robot platform**
Sang Min Yoon; Seok Cheol Kee;
<u>Intelligent Signal Processing and Communication Systems, 2004. ISPACS 20C</u>
2004 International Symposium on
18-19 Nov. 2004 Page(s):596 - 600
Digital Object Identifier 10.1109/ISPACS.2004.1439126

<u>AbstractPlus</u> | Full Text: <u>PDF</u>(405 KB)   **IEEE CNF**
<u>Rights and Permissions</u>

☐   5.
A novel heat kernel based Monte Carlo localization algorithm
Dejun Wang; Jiali Zhao; Seok Cheol Kee;
<u>Intelligent Robots and Systems, 2004. (IROS 2004). Proceedings. 2004 IEEE/I</u>
<u>Conference on</u>
Volume 3, 28 Sept.-2 Oct. 2004 Page(s):2494 - 2499 vol.3

IEEE *Xplore* ®
RELEASE 2.4

Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "(sang min yoon<in>au)"
Your search matched 2 of **1637503** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

☑ e-mail

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(sang min yoon<in>au)   **Search**

☐ Check to search only within this results set

Display Format: ◉ Citation   ○ Citation & Abstract

[**view selected items**]   Select All   Deselect All

☐   **1. Speaker detection and tracking at mobile robot platform**
Sang Min Yoon; Seok Cheol Kee;
Intelligent Signal Processing and Communication Systems, 2004. ISPACS 200
2004 International Symposium on
18-19 Nov. 2004 Page(s):596 - 600
Digital Object Identifier 10.1109/ISPACS.2004.1439126

AbstractPlus | Full Text: PDF(405 KB)   **IEEE CNF**
Rights and Permissions

☐   **2. Real-time multiple people detection using skin color, motion and appeara**
Sang Min Yoon; Hyunwoo Kim;
Robot and Human Interactive Communication, 2004. ROMAN 2004. 13th IEEE
Workshop on
20-22 Sept. 2004 Page(s):331 - 334
Digital Object Identifier 10.1109/ROMAN.2004.1374782

AbstractPlus | Full Text: PDF(812 KB)   **IEEE CNF**
Rights and Permissions

Help   Contact Us   Privacy &

© Copyright 2006 IEEE –

Indexed by
Inspec